


## ELECTRICAL SAFETY TOOLS

### COMPOSITE TOOLS

Manufactured from braided, military-grade fiberglass composite over a tough polymer core, composite tools combine the latest in space-age materials technology with traditional heat steel tips in a unique family of products ideal for the safety-minded professional.



### INSULATED TOOLS

PIP's line of insulated tools meet the **ASTM F 1505 standard** and are rated for use up to **1000 volts**. Many styles are made in the USA, and feature the trusted Channellock® brand name.

228 COMPOSITE TOOLS

229 INSULATED TOOLS

232 ELECTRICIAN'S TOOL KIT



# COMPOSITE & INSULATED TOOLS

# COMPOSITE TOOLS

## DRIVERS

PICK A BIT SIZE THAT BEST SUITS YOUR NEEDS



### COMPOSITE MALE HEXAGON DRIVERS

ITEM NUMBER	LENGTH	BIT
9500-00620	3"	5/32"
9500-00621	3"	3/16"
9500-00622	3"	7/32"
9500-00623	3"	1/4"
9500-00625	3"	5/16"
9500-00627	3"	3/8"
9500-00640	6"	5/32"
9500-00641	6"	3/16"
9500-00642	6"	7/32"
9500-00643	6"	1/4"
9500-00645	6"	5/16"
9500-00647	6"	3/8"



### COMPOSITE NUT DRIVERS

ITEM NUMBER	LENGTH	BIT
9500-00880	3"	3/16"
9500-00881	3"	7/32"
9500-00882	3"	1/4"
9500-00883	3"	9/32"
9500-00884	3"	5/16"
9500-00885	3"	11/32"
9500-00886	3"	3/8"
9500-00887	3"	7/16"
9500-00888	3"	1/2"
9500-00889	3"	9/16"
9500-00890	3"	5/8"
9500-00891	6"	3/16"
9500-00892	6"	7/32"
9500-00893	6"	1/4"
9500-00894	6"	9/32"
9500-00895	6"	5/16"
9500-00896	6"	11/32"
9500-00897	6"	3/8"
9500-00898	6"	7/16"
9500-00899	6"	1/2"
9500-00900	6"	9/16"
9500-00901	6"	5/8"

**3** OR **6**  
INCH SHAFT LENGTHS

OR CHOOSE FROM ASSORTED SHAFT LENGTHS WITH A BUILT IN BIT



### COMPOSITE SLOTTED SCREWDRIVERS

ITEM NUMBER	LENGTH	BIT
9500-00813	3"	1/8"
9500-00814	6"	1/8"
9500-00820	7"	1/4"
9500-00822	4 1/2"	5/16"
9500-00823	7"	5/16"
9500-00843	7"	3/16"
9500-00844	5"	3/16"
9500-00846	6"	3/16"
9500-00847	4 1/2"	1/4"
9500-00848	6"	1/4"
9500-00849	6"	5/16"
9500-00850	7"	3/8"
9500-00932	3 1/2"	7/32"



### COMPOSITE PHILLIPS SCREWDRIVERS

ITEM NUMBER	LENGTH	BIT
9500-00851	3"	#0
9500-00852	5"	#1
9500-00853	6"	#0
9500-00856	4 1/2"	#2
9500-00857	6"	#2
9500-00858	7"	#2
9500-00859	6"	#3
9500-00852	3"	#1

### COMPOSITE ROBERTSON SCREWDRIVERS

ITEM NUMBER	LENGTH	BIT
9500-00860	3"	#0
9500-00861	6"	#0
9500-00862	5"	#1
9500-00864	4 1/2"	#2
9500-00866	6"	#2
9500-00868	7"	#3



# INSULATED TOOLS

## PLIERS & MISCELLANEOUS



### COMPOSITE MAGNETIC BIT TIP SYSTEM

ITEM NUMBER	BITS INCLUDED	FEATURE
9500-10460	3/16" & 1/4" Flat #1 & #2 Phillips	<ul style="list-style-type: none"> <li>• 800g magnet holds bits in place</li> <li>• Handle stores 8 standard bits</li> </ul>
9500-10461	3/16" & 1/4" Flat, #1 & #2 Roberts	<ul style="list-style-type: none"> <li>• Holds 1/4" square drive sockets</li> <li>• Can be used as 1/4" nut driver</li> </ul>



### COMPOSITE HAND DRIVER

ITEM NUMBER	LENGTH	FEATURE
9500-00810	3"	<ul style="list-style-type: none"> <li>• Cushion grip</li> <li>• Accommodates 1/4" square drive sockets</li> </ul>
9500-00811	6"	



### COMPOSITE HOLDING NUT STARTER

ITEM NUMBER	LENGTH	BIT SIZES?
9500-00563	7"	4-40 (2.5mm) to 5/16" (8mm)




### COMPOSITE HOLDING SCREWDRIVERS

ITEM NUMBER	LENGTH	BIT	TIP	FEATURE
9500-00560	7"	3/16"	Slotted	<ul style="list-style-type: none"> <li>• Magnetic on one end</li> </ul>
9500-00562	7"	#2	Phillips	<ul style="list-style-type: none"> <li>• Twist tip design</li> </ul>



### INSULATED SLIP-JOINT PLIERS

ITEM NUMBER	CAPACITY	LENGTH	FEATURE
9550-10050	1/2"	8"	Milled teeth and jaws for wire cutting
9550-10052	1/2"	10"	




### INSULATED NEEDLE NOSE PLIERS

ITEM NUMBER	LENGTH	TIP	FEATURE
9550-10008	4"	Standard	<ul style="list-style-type: none"> <li>• Available in various sizes</li> </ul>
9550-10010	6"	Standard	<ul style="list-style-type: none"> <li>• Side cutting feature for wire cutting</li> </ul>
9550-10013	7"	Standard	
9550-10016	8"	Standard	
9550-10014	6"	Bentnose	



# INSULATED TOOLS

## PLIERS




### INSULATED LINESMAN PLIERS

ITEM NUMBER	LENGTH	TIP	FEATURE
9550-10000	7"	Standard	• New England style, high leverage
9550-10003	8"	Standard	• Cuts ASCR cables
9550-10006	9½"	Standard	
9550-10007	8½"	Combo with Crimper	
9550-10005	9½"	Combo with Crimper	




### INSULATED WATERPUMP PLIERS

ITEM NUMBER	LENGTH	CAPACITY	FEATURE
9550-10066	4"	½"	• Positive locking design
9550-10068	6"	½"	• Jaw design accommodates many shapes
9550-10070	10"	1½"	
9550-10071	10" Box Joint	1½"	
9550-10073	12"	2"	
9550-10075	12" Box Joint	2"	



### INSULATED FLATNOSE PLIERS

ITEM NUMBER	LENGTH	FEATURE
9550-10020	8"	New England style, high leverage



### PLASTIC HOLDING PLIERS

ITEM NUMBER	LENGTH	FEATURE
9540-10039	7"	For meter connections and meter locking



### INSULATED CRIMPING PLIERS

ITEM NUMBER	LENGTH	FEATURE
9550-10060	10"	Wire cutter built into base; Cuts 10-22 AWG wire




### INSULATED DIAGONAL CUTTING PLIERS

ITEM NUMBER	LENGTH	FEATURE
9550-10030	6"	Box Joint Jaw
9550-10033	7½"	Lap Joint Jaw
9550-10034	8"	Lap Joint Jaw

ALL INSULATED TOOLS IN THIS SECTION MEET THE ASTM F 1505 STANDARD AND ARE RATED FOR USE UP TO 1000 VOLTS.

# INSULATED TOOLS

## CUTTERS & FUSE PULLERS



### INSULATED FLATNOSE PLIERS

ITEM NUMBER	LENGTH	FEATURE
9550-10080	8¼"	#10-22 Awg capacity




### INSULATED FUSE PULLER

ITEM NUMBER	LENGTH	FEATURE
9540-10440	7"	<ul style="list-style-type: none"> <li>Notched handle provides a non-slip grip</li> <li>0-100A/250V and 600V ½" to 1" fuses</li> </ul>



### INSULATED DIAGONAL CUTTING PLIERS

ITEM NUMBER	LENGTH	FEATURE
9550-10084	6½"	#10-22 Awg capacity



### INSULATED RATCHET CABLE CUTTERS

ITEM NUMBER	LENGTH	FEATURE
9550-10048	10"	<ul style="list-style-type: none"> <li>Cuts copper communication cable up to 3" (76mm) in diameter</li> <li>Compact, lightweight, only 3 lbs (1.13 kg)</li> <li>Release lever disengages ratchet, allowing blades to open even in mid cut</li> </ul>



### INSULATED CABLE CUTTERS

ITEM NUMBER	LENGTH	FEATURE
9550-10040	9½"	High leverage cable cutter



# TOOL KITS

TOOL SETS & KITS

## NUT DRIVERS & SCREWDRIVERS



### NUT DRIVER SETS

ITEM NUMBER	PIECES	DRIVER	BITS INCLUDED
9600-00920	7	3"	3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
9600-00925	7	6"	3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
9600-00921	8	3"	3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
9600-00926	8	6"	3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
9600-00922	9	3"	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
9600-00927	9	6"	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
9600-00923	10	3"	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
9600-00928	10	6"	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

### SCREWDRIVER SETS

ITEM NUMBER	PIECES	SIZES INCLUDED
9600-00872	5	3/16" x 6"L • 1/4" x 6"L • 3/8" x 7"L • #2 x 4 1/2"L • #3 x 6"L
9600-00871	6	1/8" x 3"L • 3/16" x 6"L • 1/4" x 6"L • 5/16" x 6"L • #1 x 5"L • #2 x 4 1/2"
9600-13090	7 (Euro Style)	3/32" x 3"L • 5/32" x 4"L • 3/16" x 5"L • 1/4" x 6"L • #0 x 2 1/2"L • #1 x 3"L • #2 x 4"L
9600-00869	8	1/8" x 3"L • 1/8" x 6"L • 3/16" x 6"L • 1/4" x 6"L • 5/16" x 6"L • 3/8" x 7"L • #1 x 5"L • #2 x 6"
9600-00870	11	1/8" x 3"L • 1/8" x 6"L • 3/16" x 5"L • 3/16" x 6"L • 1/4" x 4 1/2"L • 1/4" x 6"L • 5/16" x 6"L • 3/8" x 7"L • #1 x 5"L • #1 x 5"L • #2 x 6"L • #3 x 6"L



### BASIC ELECTRICIAN TOOL SET

ITEM NUMBER	INCLUDES
9600-13302	<ul style="list-style-type: none"> <li>• 9" Linesman Pliers</li> <li>• 7 1/2" Diagonal Cutting Pliers</li> <li>• 7" Needlenose Pliers</li> <li>• Combination Stripper &amp; Crimper</li> <li>• #2 x 6"L Square Robertson Screwdriver</li> <li>• 3/16" &amp; 1/4" - 6" Slotted Screwdriver</li> <li>• #1 x 5"L Phillips Screwdriver</li> <li>• #2 x 4 1/2" Phillips Screwdriver</li> </ul>



### 6" DRIVE SUBSTATION TOOL ROLL

ITEM NUMBER	INCLUDES
9600-13433	<ul style="list-style-type: none"> <li>• 9" Linesman Pliers</li> <li>• 7 1/2" Diagonal Cutting Pliers</li> <li>• 6" Needlenose Pliers</li> <li>• Combination Stripper &amp; Crimper</li> <li>• Crimper, Fuse Puller &amp; Plastic Pliers</li> <li>• #2 x 6"L Square Robertson Screwdriver</li> <li>• 3/16" &amp; 1/4" - 6" Slotted Screwdriver</li> <li>• 1/8" x 3"L Slotted Screwdriver</li> <li>• Nut Drivers: 3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 1-1/32"</li> </ul>