- MARKERS

→ LAYOUT FLUIDS

STAINING COLORS







The Mark of Excellence™

# E Highlights

From STEEL BLUE® to BRITE-MARK® ITW DYKEM® has a wide range of products for all of your marking needs. Constantly exploring new ways to color code, mark, outlast and out perform; we strive to create products that meet your demands. At the same time, we stand behind the quality and dependability you've come to appreciate through the years.

Products new to the catalog include: TUFF GUY™ (pg. 9) — one of the toughest permanent ink markers available. CROSS CHECK™ (pg. 21) provides a convenient visual method for identification of vibratory loosening or tampering in nuts, bolts, fasteners, and assemblies. BRITE-MARK® H<sub>2</sub>O (pg. 4) is a general purpose water-based marker ideal for making clear, bold markings on almost any surface in environments where VOC issues and xylene use are a concern. STRIKE-MARK™ (pg. 10) is a fast drying ink based permanent marker. BLEED-THRU (pg. 13) is ideal for fabricating structural steel or layout work where marks are required to bleed through a primer coat covering the marks.

Interested in increasing impulse sales? Take a look at our eyecatching DYKEM® Pen Display (p. 14) and Blister Carded Markers (pg. 4, 5). The Pen Display is a great tool for displaying all varieties of DYKEM® markers on a countertop. The Blister Carded markers are handy for individual sales of popular DYKEM® markers and hanging displays.

Want to learn more? We always welcome the chance to educate people further regarding our marking system lines. Please feel free to contact our customer service team at 1.800.443.9536 or 913.397.9889. We'd love to hear from you!







### **Table of Contents**

Valve Action Paint Markers	Layout Fluids
BRITE-MARK® Valve Action Paint Marker3	STEEL BLUE® Layout Fluid19
BRITE-MARK $^{\circ}$ $\text{H}_{2}\text{O}$ Water-Based Permanent Paint Marker $4$	STEEL RED Layout Fluid19
Steel Tip Paint Markers	REMOVER & CLEANER
TEXPEN® Industrial Paint Marker5	REMOVER & CLEANER20
DALO® Industrial Paint Marker	REMOVER & CELOTICE
DALO IIIdosiridi Falili Markei	<b>Specialty Products</b>
Temporary/Removable Markers	CLING SURFACE16
RINZ OFF° Water Removable Marker7-8	CROSS CHECK™ Tamper Proof Torque Mark21
SUDZ OFF® Detergent Removable Marker7-8	Fountain Brush & Bottle20
TODE OTT Deletgen Kemovable Market7-0	Hi-Spot Blue
Ink Markers	ni-spot blue21
action marker® Ink Marker11	Staining Colors
STRIKE-MARK™ Fast Dry Ink Marker	Fluorescent Stains
TUFF GUY™ Heavy Duty Marker	
1011 001 Heavy boly Market	Opaque Stains
Specialty Markers	RINZ OFF® Temporary Water Removable Stains23-24
BLEED-THRU13	SUDZ OFF® Temporary Detergent Removable Stains23-24
HIGH PURITY Marker	Transparent Stains23-24
HIGH TEMPERATURE Marker	Classes /Daggesses
UV Marker	Cleaners/Degreasers
OV Marker	NATURAL FORCE® Degreasing System18
Merchandising	SCRUBS® Hand Cleaner Towels
BRITE-MARK® Blister Carded Markers4	Stainless Steel Cleaners
Pen Counter Display Box14	
Pen Demo Kit	
Pen Display14	A 20 M
TEXPEN® Blister Carded Markers	
TEXT ETA Disser Carded Markers	
	The same of the sa
100	THEOR STREET
	man loo
A LANGE	
ALEX L	
00	
	A B B B
	2 3 8 8
	3 B B B B B
	MARK
	MARIE AND STREET
The second secon	

DYKEM® BRITE-MARK® is a general purpose permanent marker ideal for making clear, bold markings on almost any surface. Its quick drying, oil-based paint withstands indoor and outdoor conditions without fading, chipping or losing its opacity. DYKEM® BRITE-MARK® can be used to permanently identify inventory, assemblies, tools, finished products or work-in-progress while resisting most work related abuses or compounds.

#### **BRITE-MARK®** Medium

Our most popular marker, the BRITE-MARK® Medium, features a medium tip for clear, bold markings.

#### Available Colors/Product #'s:

Color	Part #	Color	Part #
Black	84002	Red	84006
Blue	84001	Silver	84050
Green	84007	White	84003
Gold	84051	Yellow	84004
Orange	84005	Pink	84009
Violet	84019	Lt. Blue	84008
Brown	84010	Lt. Green	84022

#### **BRITE-MARK® 40**

The BRITE-MARK® 40 contains a large capacity of paint in a heavy duty aluminum barrel. The clip cap screws on for secure closure and ensures the marker will not roll off surfaces. The threaded barrel allows the marker to be screwed into a jig or apparatus.

#### Available Colors/Product #'s:

Color	Part #	Color	Part #
Black	40003	Red	40002
Blue	40001	Silver	40016
Green	40004	White	40008
Gold	40014	Yellow	40006
Orange	40010	Pink	40009
Violet	40045	Brown	40007

#### **BRITE-MARK®** Fine

The BRITE-MARK® Fine marker may look small, but it's designed for the industrial environment. The fine tip allows for easy labeling of small parts and the matching clip cap makes it convenient to carry with you.

#### Available Colors/Product #'s:

Color	Part #	Color	Part #
Black	41003	Red	41002
Blue	41001	Silver	41016
Green	41004	White	41008
Gold	41014	Yellow	41006
Orange	41010	Violet	41045

Non-xylene based formula\*

 Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more

 Valve action mechanism prevents paint in barrel from drying when cap is left off

 Heavy duty aluminum body with large paint capacity

Ideal for color coding

 Bullet tips are replaceable to assure complete use of paint in each marker

Drying Time:
 25-35 seconds

\* Excluding gold and silver



#### BRITE-MARK® H<sub>2</sub>O WATER-BASED PERMANENT MARKERS

The DYKEM® BRITE-MARK®  $H_2O$  is a general purpose, water-based paint marker ideal for making clear, bold markings on almost any surface in environments where VOC and xylene issues are a concern.

The DYKEM® BRITE-MARK® H<sub>2</sub>O can be used to permanently identify inventory, assemblies, tools, finished products, or works-in-progress while resisting most work related abuses or compounds.

- Non-xylene based formula
- Low Odor
- Low VOC

- Heavy Duty
- Vibrant Colors
- Excellent opacity
- Drying Time: 25 35 minutes

#### Available Colors/Product #'s:

Color	Part #	Color	Part #
Black	91426	White	91425
Blue	91603	Orange	91604
Green	91602	Red	91428
Yellow	91427		



#### BRITE-MARK® VALVE ACTION MARKERS - BLISTER CARDED

Improve your DYKEM® merchandising by using Blister Carded BRITE-MARK® products. This convenient packaging makes for easier merchandising by allowing retailers to display individual markers versus setting out

an entire box of markers when space is limited. Hang product on hooks, peg boards or clip strips.

- Attractive design showcases product to your customer
- Allows customer to purchase one marker at a time
- · Helps control theft

#### Available Colors/Product #'s:

Color	Part #	Color	Part #
Black	84102	White	84103
Blue	84101	Orange	84105
Green	84107	Red	84106
Yellow	84104		



Perhaps the most rugged markers you'll ever use, the DYKEM® TEXPEN® Industrial Paint Marker gets the toughest jobs done. These markers easily write through oil, grease and even underwater. They feature a stainless steel-ball tip so you'll never have to worry about the tip wearing out before the paint is gone, even if you're writing on rough concrete or rusty metal. The thick, bold paint

markings withstand extreme weather conditions without losing

legibility or brightness.

- Available in 3 tip sizes
- · Replaces bottle markers and tube-style markers
- Write sharp, defined, bright marks on any surface including metal, plastic, glass, concrete, rubber and more
- · Stainless steel-ball tip will not need to be replaced
- Ergonomically correct marker enables you to mark at all angles, even upside down
- Heavy duty aluminum barrel retains its shape
- · Paint flow is controlled by the pressure bulb at the end of the barrel
- Drying Time: 25 35 minutes

#### Available Colors/Product #'s:

#### **Fine Tip**

Color	Part #	Color	Part #
Black	16030	Red	16020
Blue	16010	White	16080
Green	16040	Orange	16100
Yellow	16060		

#### **Medium Tip**

Color	Part #	Color	Part #
Black	16033	Red	16023
Blue	16013	White	16083
Green	16043	Orange	16103
Vellow	14043		

#### **Broad Tip**

Color	Part #	Color	Part #
Black	16034	Red	16024
Blue	16014	White	16084
Green	16044	Orange	16104
Yellow	16064		



#### TEXPEN® INDUSTRIAL PAINT MARKERS - BLISTER CARDED

Improve your DYKEM® merchandising by using Blister Carded TEXPEN® products. This convenient packaging

makes for easier merchandising by allowing retailers to display individual markers versus setting out an entire box of markers when space is limited. Hang product on hooks, peg boards or clip strips.

- · Attractive design showcases product to your customer
- · Allows customer to purchase one marker at a time
- Helps control theft

#### Available Colors/Product #'s:

Color	Part #	Color	Part #
Black	16038	White	16088
Blue	16018	Orange	16108
Green	16048	Red	16028
Yellow	16068		



A larger version of the popular **TEXPEN**®, **DYKEM® DALO®** Industrial Paint Markers get the toughest jobs done. These markers easily write through oil, grease and even underwater.

The DALO® features a stainless steel-ball tip so you'll never have to worry about the tip wearing out before the paint is gone, even if you're writing on rough concrete or rusty metal. The thick, bold paint markings withstand extreme weather conditions without losing legibility or brightness.

- Available in 2 tip sizes.
- Replaces bottle markers and tube-style markers
- Write sharp, defined, bright marks on any surface including metal, plastic, glass, concrete, rubber and more
- Ergonomically correct marker enables you to mark at all angles, even upside down
- Marker retains its shape unlike tube-style markers
- Paint flow is controlled by the pressure bulb at the end of the barrel
- Drying Time: 25 35 minutes





Broad Tip Color

Black

Blue

Green

Yellow

Part #

26034

26014

26044

26064

Color

Red

White

Orange

Part # 26024

26084

26104



Ideal for quality control systems, the DYKEM® RINZ OFF® Water Removable Temporary Marker allows you to make a mark on untreated metal or glass and remove it with water; a solvent is not required. Marks made will rinse off with water and no ghosting or bleed-through will appear when painted over.\*

The soft, fiber tip ensures the surface of the metal will not be scratched or marred and can easily be replaced until the marker runs out of ink. The RINZ OFF\* 44 features a clip-on cap and a threaded barrel so it can be screwed into a jig or apparatus.

- · Available in 2 barrel sizes
- Non-xylene based formula
- Ideal for quality control, part assembly, identification, part inspection and more
- Color code for different operators/shifts, parts placement or reject/accept
- No ghosting or bleed-through of removed mark when painted over\*
- · Will not react with paint systems
- · Drying time: 45 seconds 1 minute

#### Available Colors/Product #'s:

Medium			Broad (44)			1 Gallon		
Black	91109		Black	44109		Black	-	
Blue	91105		Blue	44105		Blue	82105	
Green	91108		Green	44108		Green	82108	
Red	91106		Red	44106		Red	82106	
Yellow	91757		Yellow	44757		Yellow	_	
White	_		White	44709		White	-	

## SUDZ OFF® DETERGENT REMOVABLE TEMPORARY MARKERS

Ideal for quality control systems demanding a durable, temporary marking system. The DYKEM® SUDZ OFF® Detergent Removable Temporary Marker allows you to make a mark on untreated metal or glass and remove it using an alkaline detergent with a pH level of 10 or above; a solvent is not required.

Marks made will not ghost or bleed-through when painted over\*. The soft, fiber tip ensures the surface of the metal will not be scratched or marred and can easily be replaced until the marker runs out of ink.

The SUDZ OFF® 44 features a clip-on cap and a threaded barrel so it can be screwed into a jig or apparatus.

- Available in 2 barrel sizes
- Non-xylene based formula
- No ghosting or bleed-through of removed mark when painted over\*
- Ideal for quality control, part assembly, identification, part inspection and more
- Color code for different operators/shifts, parts placement or reject/accept
- Will not react with paint systems\*
- Drying Time: 45 seconds 1 minute



#### Available Colors/Product #'s:

Medium			Broad (44)			1 Gallon					
Black	91985		Black	44985		Black	_				
Blue	91938		Blue	44938		Blue	82938				
Green	91371		Green	44371		Green	82371				
Red	91939		Red	44939		Red	82939				
Yellow	91694		Yellow	44694		Yellow	_				
White	91146		White	44146		White	_				

<sup>\*</sup>Always test to determine suitability

<sup>^</sup>See page 24 for information on SUDZ OFF® Stains

DYKEM® TUFF GUY™ is a heavy duty, truly permanent ink marker. This valve action marker features a fiber tip and an industrial strength ink ideal for permanent identification of packaging materials, parts or accessories. The clear, crisp marks resist fading even when subjected to varying, extreme climates. TUFF GUY™ won't rub off slick surfaces like plastics and shrink wrap.

- Marks are highly resistant to most coolants and cutting fluids
- Permanent ink writes on smooth surfaces such as metal, aluminum, steel, plastics, cardboard and more
- Marks withstand dirt, oil, grease, extreme weather conditions and even degreasing solvents
- Replaceable tips available
- 6 to 8 times the writing life of most other capillary markers of comparable size
- Drying Time: 45 seconds 1 minute



Available Colors/Product #'s:

Color	Part #	Color	Part #
Black	44203	Red	44819
Blue	44179	White	44175
Green	44177	Yellow	44401



DYKEM® STRIKE-MARK™ is an industrial strength fast drying permanent ink marker. STRIKE-MARK™ Medium has over 12 times the writing life compared to other permanent ink markers. STRIKE-MARK™ dries in less than 10 seconds on most surfaces. Heavy-duty ink formulation resists fading, even in extreme outdoor conditions. Valve action mechanism enables a dried out tip to be re-inked even when the cap is left off for days.


- Fast Drying
- · Resists fading
- Industrial strength ink
- Permanent marks will not smudge or rub off

#### Available Colors/Product #'s:

Fin	e Tip	Medium Tip*			
	Color	Part #		Color	Part #
	Black	33682		Black	91682
	Blue	33731		Blue	91731
	Green	33734		Green	91734
	Red	33736		Red	91736

Bullet and Chisel replacement tips are available for medium size markers









The dye-based DYKEM® action marker® is the solution for your ink marker needs. This valve-action marker features a fiber tip for marking on smooth surfaces. When not in use, the clip cap makes it easy to secure the marker

in your pocket or on a clip board. The 44 style features a threaded end that can be screwed into a jig or apparatus for a continuous identification application.

- Available in 2 barrel sizes
- Ink writes on smooth surfaces such as glass, aluminum, plastic, rubber, cardboard and more
- · Marks will not smudge or rub off
- · Replaceable tips available
- Bullet & Chisel tips are available for the 44 size
- 6 to 8 times the writing life of most other capillary markers of comparable size
- Drying Time: 45 seconds 1 minute

#### Available Colors/Product #'s:

Broad (44) Fine

Color	Part #	Color	Part #
Black	44003	Black	33003
Blue	44001	Blue	33001
Green	44004	Green	33004
Red	44002	Red	33002





#### UV MARKERS





Make a mark only you will know about. DYKEM®'s UV MARKER goes on invisible but illuminates blue under a black light. The fiber tipped marker writes on virtually any nonporous surface including plastic, glass, metal and more. Great for Quality Control processes, tamper checks, tagging, ownership, anti-counterfeiting and much more.



- Marks on plastic, glass and nonporous surfaces
- · Excellent for security applications
- Detectable by UV light
- Drying Time: 20 30 seconds

Color: Clear – Illuminates Blue under Black Light

Product #: 91195

DYKEM® HIGH PURITY markers are your answer for marking on stainless steel or any surface where degradation, contamination or other adverse effects are a concern. The formulas contain trace amounts of halogens, low melting metals and are low in chlorides. The precise formulations meet or exceed the specifications for GE Nuclear Energy, GE Aircraft Engines and the US Energy Research and Development Administration (nuclear grade).

HIGH PURITY TXP: Features a stainless steel roller ball tip and a rubber pressure bulb to control paint flow. The TXP is designed to permanently write on dirty, oily, greasy or rough surfaces. The unique design allows you to mark at any angle, upside down and even underwater. The specially formulated oil-based paint withstands extreme conditions. Drying Time: 25 – 30 minutes.

HIGH PURITY 44: Designed with a valve action mechanism that allows the marker tip to be re-inked, even when the cap is left off. Marker barrel is threaded so it can be secured in a jig or apparatus for continuous marking applications. Unique cap design features a clip that prevents the marker from rolling and can easily be secured to a clip board or in your pocket. Drying Time: 45 seconds – 1 minute.

HIGH PURITY FINE LINE: Is a lightweight valve action marker that writes fine, distinctive markings. It features a clip cap so it's easy to secure in your pocket. Drying Time: 45 seconds – 1 minute.

#### Available Colors\*/Product #'s:

#### **HIGH PURITY TXP**

Medium Tip			Broad T	ip
Black	17473		White	17464
Blue	14213		Yellow	17144
White	17463		Fine Ti	p
Yellow	14143		White	17460
			Yellow	14140

#### **HIGH PURITY**

Medium (44)			Fine Ti	р
Black	44404		Black	33404
Blue	44534		Red	33301
White	44729		White	33729
Yellow	44916			
Red	44301			

- Low chloride
- Ideal for welding, aircraft industries, ship/boat/marine industries, power plants and automotive plants
- Paint will not contaminate or adversely affect surface being marked

#### HIGH TEMP MARKERS

**DYKEM®** HIGH TEMP markers are specifically formulated for marking surfaces that are exposed to extreme high temperature environments. Marks should be made at room temperature and can be applied to almost any non-porous surface such as metal, glass, and ceramic. When marking on ceramics, the marks will become permanently fused to the surface after heat is applied. Certain colors can withstand temperatures up to 2000°F (1093°C).

HIGH TEMP TXP: Features a stainless steel roller ball tip and a rubber pressure bulb to control paint flow. The TXP is designed to permanently write on dirty, oily, greasy or rough surfaces. The unique design allows you to mark at any angle, upside down and even underwater. The specially formulated oil-based paint withstands extreme conditions. Drying Time: 25 – 30 minutes

HIGH TEMP 44: Designed with a valve action mechanism that allows the marker tip to be re-inked, even when the cap is left off. Marker barrel is threaded so it can be secured in a jig or apparatus for continuous marking applications. Unique cap design features a clip that prevents the marker from rolling and can easily be secured to a clip board or in your pocket. Drying Time: 45 seconds – 1 minute

- High temperature resistance
- · Ideal for marking on glass, metal and ceramic
- Each color represents a temperature range

#### Available Colors/Product #'s:

#### **HIGH TEMP TXP**


	Fine Tip	Medium Tip	Temperature Range
Black	17030	17033	2000°F (1093°C)
White	17080	17083	800-900°F (426-482°C)
Yellow	17060	17063	800-900°F (426-482°C)

#### **HIGH TEMP**

	Medium Tip (44)	Fine (44)	Temperature Range
Black	44250	33250	2000°F (1093°C)
Blue	44094	33094	2000°F (1093°C)
Green	44266	33266	1800°F (982°C)
White	44219	33219	1550-1650°F (843-899°C)
Yellow	44424	33424	800-900°F (426-482°C)



Yellow paint was applied after the Lot # was marked.



The DYKEM® BLEED-THRU™ is a fast drying, valve action ink marker that remains visible after the mark has been painted over. It is ideal when used for fabricating metal or plastic where marks are required to bleed through a primer coat covering the marks.

Marks bleed through when painted over with oil/solvent based paints and primers. Makes permanent marks on plastic, metal, glass, ceramics, and most non-porous surfaces. It can be used to permanently identify inventory, assemblies, machines, or finished products while resisting most work related abuses or compounds.



#### **BLEED-THRU**

Color	Part #
Black	44531

- Marks bleed through most solvent based paints and primers
- · Marks bleed through powder coating
- Permanent marks on most surfaces
- · Can be used for identification purposes
- Chisel & bullet replacement tips are available
- · Heavy duty aluminum body with large ink capacity
- · Valve action mechanism prevents ink in barrel from drying when cap is left off
- Drying Time: 45 seconds 1 minute

#### **DYKEM® BULK PRODUCTS**

The same paint and ink formulas used in DYKEM® markers are also available in one gallon containers. Whether you need a mark that will last or a mark you can remove, the diverse line of paint and ink formulations ensures that DYKEM® can meet your marking needs.

#### Water Removable: RINZ OFF®

		_
Color	Part #	Container Size
Red	82106	1 Gallon
Blue	82105	1 Gallon
Green	82108	1 Gallon

#### **HIGH PURITY**

Color	Part #	Container Size
White	87229	1 Gallon
Black	82404	1 Gallon

#### UITRAVIOLET

OL.	IO WIOLL		
	Color	Part #	Container Size
	Clear*	82195	1 Gallon

<sup>\*</sup>Clear - Illuminates Blue under Black Light

#### **Detergent Removable: SUDZ OFF®**

Color	Part #	Container Size
Red	82939	1 Gallon
Blue	87938	1 Gallon
Green	82371	1 Gallon

#### HI TEMPERATURE

Color	Part #	Container Size
White	87219	1 Gallon
Black	82250	1 Gallon



#### PEN COUNTER DISPLAY BOX



Display an array of DYKEM® markers with this convenient Pen Counter Display Box. This box not only showcases the variety of DYKEM® marking systems, but also allows for the display of marketing literature.

- Specially designed box for DYKEM® marking pens for display right on countertops
- Holds up to 50 sheets of marketing literature

#### **Pen Counter Display Box**

Part # 84997

#### PEN DEMO KIT -

The DYKEM® Pen Demo Kit is an excellent way to physically demonstrate the entire DYKEM® product line of specialty markers. Perfect for sales meetings and end-user calls, the DYKEM® Pen Demo Kit comes complete with product, product descriptions and demonstration instructions.

- Specially designed box with easy to hold handle
- Each kit comes complete with SCRUBS® Hand Cleaner Towel Single Pack, metal plates, dishes, and bottles to demonstrate each marker.

#### Pen Demo Kit

Part # 84998



#### **PEN DISPLAY**



An easy way to add visibility to a product that is traditionally an impulse buy. The DYKEM® Pen Display is a compact point-of-purchase display with big impact. Designed to accommodate the DYKEM® marker of your choice, it's a very versatile addition to your countertop.

- · Constructed with lightweight, corrugated cardboard
- Configured to hold any marker box in the DYKEM<sup>®</sup> marker line

#### Pen Display\*

Part #

84999

\*The DYKEM® Pen Display is shipped empty.

Always test surface to determine suitability.	X action marker®	X BLEED-THRU	<b>X</b> BRITE-MARK®	<b>X</b> BRITE-MARK® H <sub>2</sub> O	X DALO®	X HIGH PURITY	X HIGH TEMP	X RINZ OFF®	X Strike-Mark <sup>™</sup>	X SUDZ OFF®	X TEXPEN®	X TUFF GUY™	X UV Marker
Marks on Metal						_							^
High Visibility	X	X	X	X	X		X	X	X	X	X	X	
Cold Surfaces	X	X	X	X	X	X		X	X	X	X	X	X
High Temperature Resistance							X						
Greasy & Oily Surfaces			X		X						X		
Galvanizing Process								X		X			
Detergent Removable										X			
Visible through Paint & Primer		X											
Water Removable								X					
Rough, Rusty Surfaces					X						X		
Wet Surfaces					X						X		
Low Chloride (Nuclear/Aircraft Certs)						X							
Black Light Visibility													X
Fast Drying (< 10 sec.)									X				
Resistant to Coolants & Cutting Fluids												X	
Marks on Wood	X		X	X	X				X		X	X	
Marks on Plastics			X	X	X				X		X	X	X
Marks on Glass & Ceramics	X	X	X	X	X	X	X	X	X	X	X	X	X
Marks on Concrete & Stone					X						X		
Marks on Paper	X		X	X					X			X	X
Marks on Cardboard	X		X	X					X			X	X
Marks on Rubber	X		X		X				X		X	X	X



# Clina Surface\_\_

CLING has built a solid reputation for quality specialty chemical products for industrial, farm and marine use since 1896, with the formulation of CLING belt dressing. The tradition of quality continues as part of ITW DYKEM to provide you with a range of quality products formulated to meet your needs today and tomorrow.

#### **CLING BELT DRESSING**

**Container Size** Product Product # Belt Dressing (Golden) 10095 Aerosol 16 oz

#### **CLING LUBRICANTS & OILS**

Product	Product #	Container Size
MOOVIT™ Penetrant	12090	Aerosol 16 oz
Water Soluble Cutting Oil	26090	Bottle 1 Gallon
Water Soluble Cutting Oil	26091	Pail 5 Gallons
Air Tool Oil	15000	Spout Btl 1 Pint
Air Tool Oil	15002	Bottle 1 Gallon
Moly Open Gear/Wire Rope	11030	Aerosol 16 oz
Moly Open Gear/Wire Rope	11032	Pail 5 Gallons
Moly Chain/Cable Oil	11039	Aerosol 16 oz
Red Grease	11045	Aerosol 16 oz

**SPRAY BFIT DRESSING** 

**Stops Slipping & Squeaking Equalizes Pressure Reduces Vibrations Improves Bearing & Belt Life** 

OPFN GFAR AND WIRE ROPE OIL

**Penetrates Adheres Under High RPMs Operating Temperature to** 

MOOVIT™ SPRAY PENETRATING LUBRICANT


**Frees Rusted/Corroded Parts Excellent Lubricant Removes Rust** 

WATER **SOLUBLE** CUTTING OIL

Multi-Purpose For Machining/Grinding of all Metals

SPRAY RED **GRFASE**  **Multi Purpose Grease** 100% Waterproof **Excellent Lubricity Not Affected By** Acids/Alkalis/Salts





#### STAINLESS STEEL CLEANERS -

Use Dymon's Stainless Steel Cleaner Sprays or Towels to clean, polish and preserve the high luster of stainless steel finishes.

> Use On: Stainless Steel

Chrome

Aluminum

- · Quick, convenient and effective
- Cleans and polishes
- Restores original brightness
- · Restores high luster

#### Removes:

#### • Spot Marks

- Film
- Fingerprints
- Grease
- Water Marks

- in
No.



Product	Part #	Container Size
Stainless Steel Cleaner	07920	20 oz. Aerosol
Stainless Steel Cleaner & Polish	20920	20 oz. Aerosol
Orange Stainless Steel Cleaner	34520	20 oz. Aerosol
Stainless Steel Cleaner Towel	91901	Single Pack Towel
Stainless Steel Cleaner Towel	91930	30 ct. Towel Container
Stainless Steel Cleaner Towel	91956	50 ct. Towel Container

#### NATURAL FORCE® DEGREASING SYSTEM

NATURAL FORCE® degreaser is heavy duty citrus power in a complete system for professional applications. Each delivery method: foaming, jelled, solvent blast or premoistened towel - is specifically formulated to solve your degreasing needs.

#### Jelled

- Maximum contact time
- · No vertical runoff

#### **Foaming**

- · Large surface coverage
- · Safe for most washable surfaces

#### Solvent Blast

- Super concentrated formula
- Attacks grease on contact

#### **Degreaser Towels**

- No dripping or overspray
- Provides controlled application
- One-step degreaser
- · Safe for most washable surfaces

Product	Part #	Container Size
Natural Force® Jelled	13620	20 oz. Aerosol
Natural Force® Foaming	36120	20 oz. Aerosol
Natural Force® Solvent Blast	37620	20 oz. Aerosol
Natural Force® Degreaser Towels	90601	Single Pack Towel
Natural Force® Degreaser Towels	90630	30 ct. Towel Container
Natural Force® Degreaser Towels	90656	50 ct. Towel Container



## STEEL BLUE®

The Layout Fluid you've trusted to get the job done for over 80 years.

DYKEM STEEL BLUE is still the best in the business.

Toluene-Free

- Provides a thin film without cracking or chipping
- Reveals defects and pinholes in a variety of surfaces
- Reduces eyestrain
  - Allows scribing of sharp, clear, precise lines
    - Dries in minutes





Machine shop operators depend on DYKEM® Layout Fluids to scribe sharp, clear, precise lines. When applied, our layout fluids provide a uniform deep color that prevents glare and dries in minutes. All DYKEM® Layout Fluids create an extremely thin film which adds practically no thickness to the work piece and remains flexible without cracking and chipping.



### STEEL RED

Part #	Product	Container Size
80096	STEEL RED	Aerosol 16 oz.
80296	STEEL RED	Felt Tip Applicator 2 oz.
80396	STEEL RED	Brush-In-Cap 4 oz.
80496	STEEL RED	Brush-In-Cap 8 oz.
80696	STEEL RED	Bottle 930 mL
80796	STEEL RED	Bottle 1 gallon
80896	STEEL RED	Pail 5 gallons

DYKEM® REMOVER & CLEANER is the preferred solution for all surface preparation, removal and dilution of DYKEM® STAINING COLORS and Layout Fluids. It has been proven that layout fluids and stains adhere better to surfaces that are prepared with this product and the formula is toluene-free for workers' safety.



- Prepares metal surfaces
- Dries in minutes
- Does not contain toluene or chlorinated solvents
- Works great for flushing out lines and nozzles

Product	Part #	Container Size
REMOVER & CLEANER	82038	16 oz Aerosol
REMOVER & CLEANER	82638	930 mL Bottle
REMOVER & CLEANER	82738	1 Gallon Bottle
REMOVER & CLEANER	82838	5 Gallon Pail
REMOVER & CLEANER	82838	55 Gallon Drum



#### FOUNTAIN BRUSH & BOTTLE



**DYKEM®**'s **Fountain Brush & Bottle** consists of a soft hair brush with a hollow handle attached to a squeezable bulb. No redipping is required, and it allows for delicate to heavy flow depending on your desired application.

Product	Part #	Container Size
* Fountain Brush & Bottle	89157	5 oz. Bottle

\* Container is shipped empty

- Soft-hair brush
- Squeezable bulb
- 5 oz. non-breakable polyethylene bottle
- Cap will not "freeze" to bottle

DYKEM® CROSS-CHECK™ provides a convenient visual method for identification of vibratory loosening or tampering in nuts, bolts, fasteners, and assemblies. CROSS-CHECK™ provides warranty protection against tampering. Marks will be easily broken if parts are tampered with or become loose. Highly visible under ambient light and fluorescent under UV light. Excellent adhesion to metal and other substrates.



<ul> <li>Tampe</li> </ul>	r Proof	Torque	Mark
---------------------------	---------	--------	------

Safe for most surfaces

Highly visible

Excellent adhesion

Visually detects loose nuts & bolts

Broken Seal

Provides warranty protection



#### HI-SPOT



Hi-Spot is an intensely blue, soft, uniform paste that spreads easily and evenly to show high spots on bearings. A thin coating may be left on the surface day in and day out, and will not dry. The film remains pliable and transferable and in condition for months.


- Non-drying
- Non-hardening
- Transfers from one surface to another
- · Saves time and money in surface scraping work

Product	Part #	Container Size
Hi-Spot Blue	83307	0.55 oz. Tube
Hi-Spot Blue	83507	14 oz. Can



# STAINING COLORS

We're more than just Layout Fluid. Check out our Staining Color options.



#### **Opaque Stains**

- Perform well on light and dark tinted metals
- Provide excellent hiding/coverage properties and opacity
- Thickness can be adjusted by adding DYKEM® Remover & Cleaner

#### **Transparent Stains**

- Perform best on light tinted, polished metals
- Will not settle or separate

#### RINZ OFF® Water Removable Temporary Stains

- For use on non-treated, bare metal surfaces
- Easily removed with water and leave no harmful residue
- Does not require a solvent for removal

### SUDZ OFF® Detergent Removable Temporary Stains

- Perfect for staining bare metal surfaces which require water-resistance
- Removable with alkaline detergent (pH 10 or higher)
- Does not require a solvent for removal
- \* Note: Drying times depend on film thickness. Film thickness will vary with method of application.
- CAUTION: Surface tests should be run to determine Staining Color suitability.



- Permanently or temporarily identify parts, inventory, works-in-progress, tools, assemblies or finished goods
- Permanent stains resist most work related materials such as oils, moisture, grease, cutting fluids and more
- · Applies easily by spraying, brushing or stamping
- · Dries within minutes\*



Yellow Fluorescent Stain Natural Light



Yellow Fluorescent Stain Black Light



Clear Fluorescent Stain Natural Light



Clear Fluorescent Stain Black Light

Fluorescent • Display a bright, fluorescent color under black lighting

Stains • Detectable by optical sensors in automated processing system



#### EFD MicroMark® Spray Systems

The MicroMark® is a spray marking system from EFD Inc. It is a compact marking system that produces round patterns and stripes on product in an assembly line setting. **DYKEM®** transparent stains are recommended for use with this system for best results.

For application assistance or a no-charge evaluation system in the USA, call 800-556-3484.

For EFD sales and service in over 30 countries, contact EFD USA or go to: www.efd-inc.com



#### **Opaque Stains**

Color	2 oz Applicator	8 oz. Brush-In-Cap	12 oz. Aerosol*	1 Gallon Bottle	5 Gallon Pail
Black	81224	81424	-	81724	81824
Dk.Blue	81278	81478	81078*	81778	81878
Blue	81225	81425	-	81725	81825
Lt. Blue	81214	81414	-	81714	81814
Gray	-	-	-	81776	81876
Dk. Green	81206	81406	-	81706	81806
Lt. Green	81208	81408	-	81708	81808
Orange	81213	81413	-	81713	81813
Pink	81260	81460	-	81760	81860
Purple	81263	81463	-	81763	81863
Red	81291	81491	81091*	81791	81891
Violet	81219	81419	-	81719	81819
White	81227	81427	81027*	81727	81827
Yellow	81205	81405	81030*	81705	81805

<sup>\*</sup> Not for sale in the state of California.

#### **Transparent Stains**

Color	8 oz. Brush-In-Cap	1 Gallon Bottle	5 Gallon Pail
Black	81431	81731	81831
Dk.Blue	81417	81717	81817
Green	81465	81765	81865
Lt. Green	-	81766	81866
Orange	81462	81762	81862
Purple	81404	81704	81804
Red	81496	81796	81896
Yellow	81451	81751	81851
Brown	-	81757	81857

- Perform best on light tinted, polished metals
- · Will not settle or separate

#### Fluorescent Stains

	110	ioi carcii	Cotanis
	Color	1 Gallon Bottle	5 Gallon Pail
	Yellow*	81718	81818
	Clear*	8215	-

- Yellow Fluorescent Stains display a bright fluorescent yellow color under a black light
   Clear Fluorescent Stains display a bright fluorescent blue color under a black light

#### **RINZ OFF® Stains**

Itilitz Oll		Otaliis
Color		1 Gallon Bottle
	Dk.Blue	82105
	Green	82108
	Red	82105

#### SUD7 OFF® Stains

JUDE OFF		Stallis
	Color	1 Gallon Bottle
	Dk.Blue	87938
	Green	82371
	Red	82939

0702018	1703012	3373410	4417512		8176524
	1703312	3373610	4417712	8080012	8176624
1009524	1706012		4417912	8089612	8177624
	1706312	3452018			8177824
1102524	1708012		442039	8102724	8179124
1103024	1708312	3612018	4421912	8103024	8179624
1103224	1746312		4425012	8107824	
1103924	1747312	3762018		8109024	8180424
1104524			4430112		8180524
	2092018	400013	443718	8140424	8180624
1209024		400023		8140524	8180824
	2605024	400033	444019	8140624	8181324
1362018	2605124	400043	4440412	8140824	8181424
	2609024	400063	4442412	8141324	8181724
1414312	2609124	400073		8141424	8181824
1421312	260136	400083	4453120	8141724	8181924
	260146	400093	4453412	8141924	8182424
1500024	260236	400103		8142424	8182524
1500224	260246	400143	446948	8142524	8182724
	260336	400163		8142724	8183124
160105	260346	400453	447098	8143124	8185124
160135	260436		4472912	8145124	8185824
160145	260446	410013	447578	8146024	8186024
160185	260636	410023		8146224	8186224
160205	260646	410033	4481912	8146324	8186324
160235	260836	410043		8146524	8186524
160245	260846	410063	4491612	8147824	8186624
160285	2609016	410083	449388	8149124	8187624
160305		410103	449398	8149624	8187824
160335	261036	410143	449858		8189124
160345	261046	410163		8170424	8189624
160385		410453	8000012	8170524	0.1010
160435	3300111	10004 47	8009612	8170624	8191824
160445	3300211	4220117	00000 40	8170824	00000
160405	3300311	4221017	8020012	8171324	8203820
160485	3300411	4223017	8029612	8171424	00105
160605	22004 12	4227217	00200 12	8171724	8210524
160635	3309412	44001 11	8030012	8171824	8210624
160645	3321912	4400111	8039612	8171924	8210824
160685	3325012	4400211	00400 10	8172424	8219524
160805	3326612	4400311	8040012	8172524	00071 04
160835	3340412	4400411	8049612	8172724	8237124
160845	3342412	//10E	00400 10	8173124	02420 20
160885	22602 10	441058 441068	8060012	8175124	8263820
161005	3368210		8069612	8175724	8273820
161035 161045	22720 7	441088 441098	00700 10	8176024 8176224	02020 20
161085	33729 3373112	441098	8070012 8079612	8176224 8176324	8283820 8293820
C	JJ/J11Z	00 וויים ספרו פידי	υυ <i>ι</i> τυΙΖ	0170324	0273020

8293924			911058		
	840083	841064	911068	916034	919388
8330721	840093	841074	911088	916044	919398
8331421	840103		911098	9168210	919858
	840193	849999	911468	916948	
8350721	840223		9119511		
	840503	8793824		9173110	
840013	840513		913718	9173410	
840023		8915720		9173610	
840033	841014		914254	917578	
840043	841024	9060118	914264		
840053	841034	9063018	914274	9190118	
840063	841044	9065618	914284	9193018	

#### PRODUCT ALPHABETICAL INDEX •

action marker® 44 & Fine
BLEED-THRU       13         BRITE-MARK® 40, Fine, Medium       3         BRITE-MARK® H20       4         BRITE-MARK® BROAD       4         BRITE-MARK® Blister Carded Markers       4         Bulk Products       13
CLING Surface Products
DALO® Broad & Medium
EFD MicroMark®23
Fluorescent Stains
HIGH PURITY Fine & 44
Layout Fluids
Opaque Stains
Pen Counter Display Box14Pen Demo Kit14Pen Display14
REMOVER & CLEANER

**R**eady to order **DYKEM**® products? Call our customer service department.

1.800.443.9536 913.397.9889

#### Need an MSDS?

MSDS sheets are available online for all product numbers.

www.dykem.com

#### **ITW Dymon**

805 E. Old 56 Highway Olathe, KS 66061

## DIRE









Distributed By:











805 E. Old 56 Highway • Olathe, K5 66061 • Toll Free: 800.443.9536 • Tel: 913.397.9889 • Fax: 913.397.8707 • www.dykem.com