

# 3M Building and Contractor Specialties for Waterproofing and Moisture Protection



Fast  
easy  
drain  
mats  
and more

1

3M Scotch-Weld™  
HoldFast™  
70  
Cylinder Spray Adhesive CLEAR

FOR REPAIRS, JOINTS, PENETRATIONS, ETC. ONLY.  
DANGER: EXTREMELY FLAMMABLE VAPORS AND MIST. Read instructions on back of can.



# 3M™ Scotch-Weld™ Cylinder Spray Adhesives... fast and easy drain board installation without nails



**Simply  
spray**



**and stick**



Stick to it all...  
membrane, drain board, filter  
fabric, concrete, polystyrene,  
and wood with your choice of  
two cylinder spray adhesives.



## Simplicity of 3M self-contained pressurized cylinders

- Versatile holding power to replace nails and other fasteners
- Wide spray pattern and fast coverage for vertical and horizontal surfaces
- Short dry time and long open time to work at the best pace for the job
- No cleaning or purging of hose and applicator necessary

## 3M™ Scotch-Weld™ HoldFast 70 Adhesive

- Very fast tacking for spray and stick speed
- Bonds polystyrene without damaging it

## 3M™ Scotch-Weld™ General Purpose 60 CA Adhesive (Low VOC)

- Very high coverage for great value from every cylinder
- Meets California VOC regulations
- Not recommended for use on polystyrene foam



QSS

9501

## 3M™ Scotch-Weld™ Cylinder Spray Adhesives Product Selection

| Description                        | UPC               | 3M ID          |
|------------------------------------|-------------------|----------------|
| HoldFast 70 Adhesive               | 00-048011-61690-2 | 62-4983-8030-2 |
| General Purpose 60 CA Adhesive     | 00-048011-61687-2 | 62-4952-8030-7 |
| Adhesive applicator with 9501      | 00-048011-61706-0 | 62-9880-9930-5 |
| Adhesive applicator tip 9501       | 00-048011-61707-7 | 62-9880-9501-4 |
| Adhesive applicator tip QSS for 70 | 00-048011-61993-4 | 62-9880-8148-5 |
| 6' hose                            | 00-051115-25036-1 | 62-9880-0006-3 |
| 12' hose                           | 00-048011-61988-0 | 62-9880-0012-1 |
| 25' hose                           | 00-048011-61989-7 | 62-9880-0025-3 |
| 50' hose                           | 00-051115-25782-7 | 62-9880-0050-1 |

# 3M science for simplicity in seaming, draping, hanging, bundling, and more



## 3M™ Construction Seaming Tape 8087

(2 13/16" x 55 yds.)

Seam, seal, or repair concrete underlayment, vapor barriers, and more

- Sticks on contact at 14°F to 120°F (-10° to 49°C) for easy application
- Maintains tight seal at -40°F to 220°F (-40°C to 105°C)

UPC: 00-051115-23593-1

3M ID: 70-0064-1369-7

## 3M™ Polystyrene Foam Insulation 78 Spray Adhesive

(24 fl. oz. aerosol)

Fast, easy pushbutton spray to attach polystyrene to concrete and cinder block

- Controlled spray pattern minimizes overspray and clean-up
- Spray adjusts 1-5" for targeted application, most efficient use of adhesive with less waste
- Bonds with strength greater than the foam itself
- Bonds without attacking the foam

UPC: 00-021200-41593-7

3M ID: 62-4951-4930-4

## 3M™ Hi-Strength 90 Spray Adhesive

(24 oz. aerosol)

Stick poly draping to itself, concrete, brick, metal, wood, and more

- Sticks fast
- California compliant with no methylene chloride, CFCs, or 1,1,1 trichloroethane

UPC: 00-021200-30023-3

3M ID: 62-4942-4930-3

## 3M™ Utility Duct Tape 2929

(48mm x 45.7 m)

Bundling, labeling, and temporarily holding forms and brackets in place

- Sticks well on contact to metal, plastic, concrete, and other surfaces
- Resists moisture

UPC: 00-051115-24883-2

3M ID: 70-0064-1634-4

## Scotch-Brite™ Bristle Disc

(4.5" dia., 50 grit)

Quick removal of coatings and dirt from concrete

- Long lasting abrasive
- Use with straight shaft tool or right angle grinder

UPC: 00-048011-24241-5

3M ID: 61-5001-3901-1



## 3M safety products designed to encourage proper use

| Description                                                                                                                   | Application                                                         | UPC               | 3M ID          |
|-------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------|----------------|
|  19<br>3M™ Particulate Respirator 8210       | Comfortable protection when cleaning and grinding                   | 50-051138-46457-3 | 70-0706-1439-4 |
|  20<br>3M™ Particulate Respirator 8511       | Valve for easy exhalation and dry comfort at hot and humid jobsites | 50-051138-54343-8 | 70-0707-5755-7 |
|  21<br>3M™ Standard Suspension Hard Hat 1901 | Comfortable head and hearing protection                             | 50-051138-76809-1 | 70-0708-9179-4 |
|  22<br>3M™ Protective Eyewear 1752           | Stylish high impact protection with 99% UV blocking                 | 50-051131-37115-1 | 70-0710-9305-1 |

## More 3M good ideas for the job site

| Description                                                                                                                                  | Application                                                                       | UPC               | 3M ID          |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------|----------------|
|  23<br>3M™ Multipurpose Duct Tape 3900                     | Bundle; temporarily hold forms and brackets                                       | 00-021200-49830-5 | 70-0063-1521-5 |
|  24<br>3M™ Scotch-Weld™ Super 77™ Cylinder Spray Adhesive | Holds on contact for hanging or seaming poly                                      | 00-051115-25776-6 | 62-4979-8030-0 |
|  25<br>Scotch-Brite™ General Purpose Hand Pad 7447        | Fast, convenient cleaning of many surfaces                                        | 00-048011-04029-5 | 61-5001-2323-9 |
|  26<br>Scotch-Brite™ Coating Removal Disc                 | Aggressive removal of coatings, corrosion, and other crud from metal and concrete | 00-048011-18424-1 | 61-5001-2008-6 |

**PRODUCT USE:** All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

**WARRANTY AND LIMITED REMEDY:** 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. **3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.** User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's application. If the 3M product is defective, your exclusive remedy and 3M's and seller's sole obligation will be, at 3M's option, to repair or replace the product or refund the purchase price. **LIMITATION OF LIABILITY:** Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



### Building and Contractor Markets

3M Center  
St. Paul, MN 55144  
1-866-513-4026  
www.3M.com/construction

3M, Scotch-Weld, Super 77, and Scotch-Brite are trademarks of 3M Company.

Printed in U.S.A.  
© 2007 3M  
70-0711-0191-2